SAFETY DATA SHEET



1. Product and Company Identification

Product identifier	SuperFast Drain Cleaner		
Other means of identification Not available.			
Recommended use	Drain Cleaner None known.		
Recommended restrictions			
Manufacturer/Importer/Supplier	r/Distributor information		
Manufacturer			
Company name	Science Solutions LLC 825 S. Waukegan Road		
Address			
	A8-226 Lake Forest, IL 60045		
	United States		
Telephone	(773) 261-1197		
E-mail	info@sciencesolutionsllc.com		
Emergency phone number	Infotrac Emergency Hotline 1-800-535-5053		
	2. Hazards Identification		
Physical hazards	Not applicable.		
Health hazards	Not applicable.		
Environmental hazards	Not applicable.		
OSHA defined hazards	Not applicable.		
Label elements			
Hazard symbol	Not applicable.		
Signal word	Not applicable.		
Hazard statement	Not applicable.		
Precautionary statement			
Prevention	Not applicable.		
Response	Not applicable.		
Storage	Not applicable.		
Disposal	Not applicable.		
Hazard(s) not otherwise classified (HNOC)	Not applicable.		
Supplemental information	This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission. GHS labeling is not required per 29CFR1910.1200(b)(5)(v). The labeling above applies to industrial/professional products.		
	This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations.		
	This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission. This product is not subject to 29 CFR HCS 1910.1200 regulations.		
	The following HCS exemption for consumer products apply; 29 CFR 1910.1200(b)(5)(v).		

3. Composition/Information on Ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Sodium hydroxide		1310-73-2	10 - 30
Alkyl (C12-14) dimethyl amine oxide		68955-55-5	1 - 5
Composition comments	US GHS: The exact percentage (concentratic secret in accordance with paragraph (i) of §19		ithheld as a trade

	4. First Aid Measures	
Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.	
Skin contact	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Specific treatment (see information on this label). Immediately call a POISON CENTER doctor.	
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present ar easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
Ingestion	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.	
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.	
General information	Take off all contaminated clothing immediately. Immediate medical attention is required. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.	
	5. Fire Fighting Measures	
Suitable extinguishing media	Treat for surrounding material.	
Unsuitable extinguishing media	Do not use water jet.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do it without risk. Do not scatter spilled material with high pressure water streams. Cool containers with flooding quantities of water until well after fire is out.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
	6. Accidental Release Measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Wear appropriate protective equipment and clothing during clean-up. Stop the flow of material, if this is without risk.	
	Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.	
	Small Spills: Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.	
	7. Handling and Storage	
Precautions for safe handling	DANGER CORROSIVE Use only with adequate ventilation. Do not breathe gas/fumes/vapor/spray. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use appropriate container to avoid environmental contamination. Keep container tightly closed. Use good industrial hygiene practices in handling this material. When using do not eat or drink.	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in corrosive resistant container with a resistant inner liner. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.	

8. Exposure Controls/Personal Protection			
Occupational exposure limits			
US. OSHA Table Z-1 Limits	s for Air Contaminants (29 CFR 1910.1		
Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
ndividual protection measures	s, such as personal protective equipm	ient	
Eye/face protection	Chemical splash goggles.		
Skin protection			
Hand protection	Impervious gloves. Confirm with rep	Impervious gloves. Confirm with reputable supplier first.	
Other	As required by employer code.		
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).		
Thermal hazards	Not applicable.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid contact with the skin and the eyes.		

9. Physical and Chemical Properties

9. Physical and Chemical Properties		
Appearance	Liquid	
Physical state	Liquid.	
Form	Solid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Pour point	Not available.	
Specific gravity	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	

Explosive limit - upper (%)	Not available.			
Vapor pressure	Not available.			
Vapor density	Not available.			
Relative density	Not available.			
Solubility(ies)	Not available.			
Auto-ignition temperature	Not available.			
Decomposition temperature	Not available.			
Viscosity	Not available.			
Other information				
Explosive properties	Not explosive.			
Oxidizing properties	May intensify fire; oxidizer.			
	10. Stability and	d Reactivity		
Reactivity	May be corrosive to metals. This p	product may react with strong oxidizing agents.		
Possibility of hazardous reactions	No dangerous reaction known und	ler conditions of normal use.		
Chemical stability	Stable under recommended storage	ge conditions.		
Conditions to avoid	Do not mix with other chemicals.			
Incompatible materials	Strong acids. Strong oxidizing age	ents. Metals.		
Hazardous decomposition products	May include and are not limited to	: Chlorine. Sulfuric acid. Oxides of carbon. Oxides of sodium.		
	11. Toxicologica	I Information		
Information on likely routes of e	exposure			
Inhalation	May cause irritation to the respirat	ory system. Prolonged inhalation may be harmful.		
Skin contact	Causes severe skin burns.			
Eye contact	Causes serious eye damage.			
Ingestion	Causes digestive tract burns. May	Causes digestive tract burns. May cause stomach distress, nausea or vomiting.		
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.			
Information on toxicological eff	ects			
Acute toxicity	Causes burns. See below.			
Components	Species	Test Results		
Alkyl (C12-14) dimethyl amine oxi	de (CAS 68955-55-5)			
Acute				
Dermal	_			
LD50	Rat	> 2000 mg/kg, 24 Hours		
Inhalation				
LC50	Not available			
Oral		0.40		
LD50	Rat	846 mg/kg		
Sodium hydroxide (CAS 1310-73- Acute	~2)			
Dermal				
LD50	Not available			
Inhalation				
LC50	Not available			
Oral LD50	Not available			
Skin corrosion/irritation	Causes severe skin burns and eye	e damage.		
Exposure minutes	Not available.			
Erythema value	Not available.			
Oedema value	Not available.			
Serious eye damage/eye irritation	Causes serious eye damage.			

Corneal opacity value	Not available			
Iris lesion value	Not available.			
Conjunctival reddening value	Not available	ð.		
Conjunctival oedema value	Not available.			
Recover days	Not available	9.		
Respiratory or skin sensitizatio Respiratory sensitization		itory sensitizer.		
Skin sensitization	-	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	Non-hazardous by OSHA criteria.			
Carcinogenicity	Non-hazardous by OSHA criteria. See below.			
IARC Monographs. Overall	Evaluation of	Carcinogenicity		
Not listed. OSHA Specifically Regulate Not regulated. US. National Toxicology Pr Not listed.				
Reproductive toxicity	Non-hazardo	ous by OSHA criteria.		
Specific target organ toxicity - single exposure	Not classified	-		
Specific target organ toxicity - repeated exposure	Not classified	d.		
Aspiration hazard	Not an aspira	ation hazard.		
Chronic effects	Prolonged in	halation may be harmful.		
Further information	Not available			
		12. Ecological Information		
Ecotoxicity	See below			
Ecotoxicological data Components Sodium hydroxide (CAS 1310-73-	2)	Species	Test Results	
-	·Z)			
Aduatic				
Aquatic Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34 59 - 47 13 ma/l 48 hours	
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34.59 - 47.13 mg/L, 48 hours	
Crustacea Fish	LC50	Western mosquitofish (Gambusia affir	nis) 125 mg/L, 96 hours	
Crustacea Fish Persistence and degradability	LC50 No data is av	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred	nis) 125 mg/L, 96 hours	
Crustacea Fish Persistence and degradability Bioaccumulative potential	LC50 No data is av No data avai	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable.	nis) 125 mg/L, 96 hours	
Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil	LC50 No data is av No data avai No data avai	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable.	nis) 125 mg/L, 96 hours	
Crustacea Fish Persistence and degradability Bioaccumulative potential	LC50 No data is av No data avai No data avai Not available No other adv	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable.	ais) 125 mg/L, 96 hours dients in the mixture. epletion, photochemical ozone creation	
Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Mobility in general	LC50 No data is av No data avai No data avai Not available No other adv potential, end	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable. e. verse environmental effects (e.g. ozone d	his) 125 mg/L, 96 hours dients in the mixture. epletion, photochemical ozone creation	
Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Mobility in general	LC50 No data is av No data avai No data avai Not available No other adv potential, end Collect and r material und	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable. e. verse environmental effects (e.g. ozone d docrine disruption, global warming potent 13. Disposal Considerations reclaim or dispose in sealed containers at	epletion, photochemical ozone creation ial) are expected from this component.	
Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Mobility in general Other adverse effects	LC50 No data is av No data avai No data avai Not available No other adv potential, end Collect and r material und accordance	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable. e. verse environmental effects (e.g. ozone d docrine disruption, global warming potent 13. Disposal Considerations reclaim or dispose in sealed containers at er controlled conditions in an approved in	epletion, photochemical ozone creation ial) are expected from this component.	
Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Mobility in general Other adverse effects Disposal instructions	LC50 No data is av No data avai No data avai Not available No other adv potential, end Collect and r material und accordance v Dispose in a D002: Waste	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable. e. verse environmental effects (e.g. ozone d docrine disruption, global warming potent 13. Disposal Considerations reclaim or dispose in sealed containers at er controlled conditions in an approved in with local/regional/national/international re ccordance with all applicable regulations. e Corrosive material [pH <=2 or =>12.5, o ode should be assigned in discussion bet	ais) 125 mg/L, 96 hours dients in the mixture. epletion, photochemical ozone creation ial) are expected from this component.	
Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Mobility in general Other adverse effects Disposal instructions Local disposal regulations	LC50 No data is av No data avai No data avai Not available No other adv potential, end Collect and r material und accordance v Dispose in av D002: Waste The waste co disposal com	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable. exercise environmental effects (e.g. ozone d docrine disruption, global warming potent 13. Disposal Considerations reclaim or dispose in sealed containers at er controlled conditions in an approved in with local/regional/national/international ri- ccordance with all applicable regulations. e Corrosive material [pH <=2 or =>12.5, or ode should be assigned in discussion bet pany. n accordance with local regulations. Empti dues. This material and its container must	ais) 125 mg/L, 96 hours dients in the mixture. epletion, photochemical ozone creation ial) are expected from this component. clicensed waste disposal site. Incinerate the icinerator. Dispose of contents/container in egulations. or corrosive to steel] ween the user, the producer and the waste by containers or liners may retain some	
Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Mobility in general Other adverse effects Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused	LC50 No data is av No data avai No data avai Not available No other adv potential, end Collect and r material und accordance Dispose in a D002: Waste The waste co disposal com Dispose of ir product resic Disposal inst Since emptie	Western mosquitofish (Gambusia affir vailable on the degradability of any ingred lable. lable. verse environmental effects (e.g. ozone d docrine disruption, global warming potent 13. Disposal Considerations reclaim or dispose in sealed containers at er controlled conditions in an approved in with local/regional/national/international ri- ccordance with all applicable regulations. e Corrosive material [pH <=2 or =>12.5, or ode should be assigned in discussion bet apany. n accordance with local regulations. Empt dues. This material and its container must rructions). ed containers may retain product residue,	ais) 125 mg/L, 96 hours dients in the mixture. epletion, photochemical ozone creation ial) are expected from this component. clicensed waste disposal site. Incinerate the icinerator. Dispose of contents/container in egulations. or corrosive to steel] ween the user, the producer and the waste by containers or liners may retain some	

14. Transport Information

Cananal	Closeffection Methods Closeffed as non Dart 9. Continue 9.4. 0.0 of the Transmitter's of		
General	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.		
U.S. Department of Transporta			
Basic shipping requireme	nts:		
UN number	UN1824		
Proper shipping name	Sodium hydroxide solution		
Hazard class	8		
Packing group Packaging exceptions	II ons <1 kg - Limited Quantity		
DOT	< r kg - Linited Quantity		
CORROSIVE 8			
	15. Regulatory Information		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Expo	rt Notification (40 CFR 707, Subpt. D)		
Not regulated.			
CERCLA Hazardous Subs	tance List (40 CFR 302.4)		
Sodium hydroxide (CAS	S 1310-73-2) Listed.		
SARA 304 Emergency rele	ease notification		
Not regulated.			
OSHA Specifically Regula Not regulated.	ted Substances (29 CFR 1910.1001-1052)		
Superfund Amendments and I SARA 302 Extremely hazardous substance	Reauthorization Act of 1986 (SARA) No		
Classified hazard categories	Skin corrosion or irritation Serious eye damage or eye irritation		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	on 112 Hazardous Air Pollutants (HAPs) List on 112(r) Accidental Release Prevention (40 CFR 68.130)		
Safe Drinking Water Act (SDWA)	Not regulated.		
Food and Drug Administration (FDA)	Not regulated.		
US state regulations	See below		
-	Safety Act: Listed substance		
Sodium hydroxide	-		
Sodium hydroxide			
Sodium hydroxide US. California Contro	(CAS 1310-73-2) SODIUM HYDROXIDE Iled Substances. CA Department of Justice (California Health and Safety Code Section 11100		
Not listed.	· · · · · · · · · · · · · · · · · · ·		

Not listed. **US. Massachusetts RTK - Substance List** Sodium hydroxide (CAS 1310-73-2)

US. New Jersey Worker and Community Right-to-Know Act

Sodium hydroxide (CAS 1310-73-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium hydroxide (CAS 1310-73-2)

US. Rhode Island RTK

Sodium hydroxide (CAS 1310-73-2)

California Proposition 65


This product is not subject to warning labeling under the California Proposition 65 regulation.

Country(s) or region

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory On inventory (yes/no)* Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)



	which may result from the use of or reliance on any information contained in this document.
Issue date	24-August-2022
Version #	01
Further information	Not available.
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021